

# Immunization Recommendations

Vaccines listed below are offered at the Grant County Health Department, Immunization Clinics and WIC/Health Check clinics for infants and children. There is no charge for these immunizations. Bring records of any immunizations your child has had with you to the clinics.

Age	Immunization(s)
<b>2 months</b>	DTaP (1 <sup>st</sup> dose) – Diphtheria, Tetanus, and Pertussis (Whooping Cough) Hepatitis B (1 <sup>st</sup> dose) – Some infants may get their first shot at birth Hib (1 <sup>st</sup> dose) – Haemophilus influenzae type b Polio (1st dose) *Prevnar (PCV) (1 <sup>st</sup> dose) – Pneumococcal Conjugate *Rotavirus (prevents severe diarrhea) (1 <sup>st</sup> dose) (must be started by 14 weeks of age)
<b>4 months</b>	DTaP (2 <sup>nd</sup> dose) – Diphtheria, Tetanus, and Pertussis (Whooping Cough) Hepatitis B (2 <sup>nd</sup> dose) Hib (2 <sup>nd</sup> dose) – Haemophilus influenzae type b Polio (2nd dose) *Prevnar (PCV) (2 <sup>nd</sup> dose) – Pneumococcal Conjugate *Rotavirus (prevents severe diarrhea) (2 <sup>nd</sup> dose)
<b>6 months</b>	DTaP (3rd dose) – Diphtheria, Tetanus, and Pertussis (Whooping Cough) Hepatitis B (3rd dose) Hib (3rd dose) – Haemophilus influenzae type b (not needed if Pedvax, Comvax given) Polio (3 <sup>rd</sup> dose) *Prevnar (PCV) (3rd dose) – Pneumococcal Conjugate *Rotavirus (prevents severe diarrhea) (3rd dose)
<b>12 months</b>	MMR (1st dose) – Measles, Mumps, and Rubella Varicella (1st dose) – Chickenpox Hib (4th dose) – Haemophilus influenzae type b *Prevnar (PCV) (4th dose) – Pneumococcal Conjugate *Hepatitis A (1st dose)
<b>15 months</b>	DTaP (4th dose) – Diphtheria, Tetanus, and Pertussis (Whooping Cough) Can be given as early as 12 months
<b>18 months</b>	*Hepatitis A (2nd dose)
<b>4 years</b> (before entering kindergarten)	DTaP (5 <sup>th</sup> dose) – Diphtheria, Tetanus, and Pertussis (Whooping Cough) Polio (4th dose) MMR (2nd dose) (Measles, Mumps, and Rubella) *Varicella (2nd dose) (Chickenpox)
<b>11 to 12 years</b>	Td or Tdap (Recommended every 10 years after this dose.) *Meningitis (Can be given through 18 years of age) *Girls Only – HPV (Human Papillomavirus) (3 dose series) (Can be given through 18 years of age.)

All vaccines are required, unless marked with an \*, those shots are recommended but not required.

## RECOMMENDATIONS:

1. If the child has an elevated temperature (above 100.4 degrees), an immunization should be postponed.
2. Unusual reactions to an immunization such as prolonged fever (above 105 degrees) or convulsions should be reported to your family physician or the Grant County Health Department.
3. It is recommended that children ages 6 months up to 5 years receive the influenza vaccine each year for flu season. Best time to vaccinate is October through December.

## GRANT COUNTY HEALTH DEPARTMENT

111 South Jefferson Street, Floor 2  
Lancaster, WI 53813-1672  
PHONE: (608) 723-6416

(Schedule can be found on the internet at [www.co.grant.wi.gov](http://www.co.grant.wi.gov))  
(Shots given by Grant County Health Department can be found at [www.dhfs.wisconsin.gov](http://www.dhfs.wisconsin.gov))